


# **GLOBEX<sup>®</sup>**

## **EVACUATION CHAIRS**



**safe simple** **evacuation**

# **GLOBEX<sup>®</sup>**

## **EVACUATION CHAIR**



**Do you know there is  
a legal requirement for  
responsible persons  
to ensure the safe  
evacuation of  
non-ambulant persons  
in the event of an  
emergency ?**

**There is a common  
misunderstanding that it is  
the responsibility of the  
emergency services to  
ensure everyone  
evacuates from a building  
safely !!**



**do you think you are compliant ?**

# GLOBEX® EVACUATION CHAIR



## FACTS:

Today's law stipulates that it is no longer the duty of the Fire Service to make sure the workplace is safe. The duty now lies with 'the responsible person'

The responsibility is clearly with the building management or service providers to ensure there are suitable procedures in place to evacuate everyone including disabled people without relying on the fire service.

The responsible person must nominate a sufficient number of competent persons to implement procedures in so far as they relate to the evacuation of relevant persons from the premises

Building managers should not be contemplating refusing entry to disabled people but should have plans in place that ensure the safe evacuation of all building users whether or not the fire service is available.

There is no document which states that disabled people should be left in a building to wait for the fire service during a fire. In fact, current legislative documents and standards state that it is the responsibility of building management to ensure their safe escape by introducing suitable escape plans

Where equipment is provided to assist in the evacuation of disabled people (e.g. evacuation chairs), it is important to ensure that its operational capability is maintained.

**The GLOBEX Evacuation Chair is a cost effective method of ensuring the safe evacuation of non-ambulant persons from the upper or lower levels of buildings in the event of an emergency or when lifts can not be used due to maintenance**



**don't wait until it is too late**

# **GLOBEX**<sup>®</sup> EVACUATION CHAIR



## **APPLICATIONS:**

The **GLOBEX** Evacuation Chairs can be used on virtually all types of staircases where access is provided to upper and lower levels to safely evacuate non-ambulant persons.

- Public buildings
- Offices
- Retail premises
- Hospitals
- Educational establishments
- Aviation industry
- Marine industry
- Shopping centres
- Care industry
- Event management
- Emergency Services
- Personal use



**be prepared**



## ADVANTAGES OF THE GLOBEX EVACUATION CHAIR:

- Easily operated by one person
- Minimal training required
- Ready to use in seconds
- Four fixed wheels (no secondary wheels to deploy)
- No need to balance the chair at landings (improves safety)
- Simple deployment (no complicated clips or fastenings)
- Sturdy yet lightweight stylish design
- Descent is controlled by friction controlled custom-made high resistance belts in canvas reinforced with rubber
- Safety brakes on wheels
- Adjustable headrest
- Adjustable seat
- Quick release for lowering the handle
- Free standing facility
- Cover and wall bracket available
- Assists with compliance and good management practice
- Medical Devices Agency approved
- CE marked



# GLOBEX<sup>®</sup> EVACUATION CHAIR



**Compact storage either freestanding or wall mounted**



Telescopic front carrying handles (GEC2 & 3) only

Robust easy grip handle

Adjustable padded headrest

Telescopic handle

Quick release for lowering the telescopic handle

Adjustable strengthen seat (removable for cleaning)

Lockable swivel wheels

Friction controlled custom-made high resistance belts in canvas reinforced with rubber

**Deployed and ready for use within seconds**





## TECHNICAL INFORMATION

	<b>GEC1</b> (down stairs only)	<b>GEC2</b> (with carry option)	<b>GEC3</b> (with carry option)
Construction:	Aluminium	Aluminium	Aluminium
Open height (mm):	1600	1600	1600
Folded height (mm):	1140	1140	1140
Width (mm):	550	550	<b>300</b>
Folded dimensions (mm):	330	330	330
Weight (kg):	12.7	14.2	12.7
Loading weight (kg):	150	150	150

## OUR QUALITY PRODUCTS SUPPORTED WITH QUALITY SERVICE.

In addition to our ongoing support, all our approved distributors have received our certified training and are able provide you with:


- on-site demonstrations
- immediate delivery from stock
- an installation service
- certified approved training – groups or train the trainer
- certified approved maintenance
- training and maintenance packages
- friendly, efficient service
- professional advice





For further information or a no obligation demonstration please contact

## **TOTAL PROTECTION SERVICES**



T: 0800 980 3473

F: 0800 975 6705

E: [info@totalprotectionservices.co.uk](mailto:info@totalprotectionservices.co.uk)

[www.totalprotectionservices.co.uk](http://www.totalprotectionservices.co.uk)